

P-ADAP CABLE D39,5

77902600



Piece of adjustment Nimbus to mast, diameter 39,5 mm.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77902600	
Part Number	P-ADAP CABLE D39,5	
Status	Available	
EAN	8435297809975	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	86,5	[mm]
Product width	50	[mm]
Product length	50	[mm]
Product weight	773	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2012	
Certifications	CE	
Technical features		
Down-conductor system	Cable conductor	
Diameter	50	[mm]
Internal diameter	39,5	[mm]
Max. mast diameter	Ø máx mástil	39,5 [mm]
Min. mast diameter		39,5 [mm]
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Brass	
Thread type	M30	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

P-ADAP D36,5

77902610



Adapting piece Nimbus to mast, diameter 36,5 mm.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77902610	
Part Number	P-ADAP D36,5	
Status	Available	
EAN	8435297812258	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	86,5	[mm]
Product width	50	[mm]
Product length	50	[mm]
Product weight	773	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2012	
Certifications	CE	
Technical features		
Down-conductor system	Cable Conductor	
Diameter	50	[mm]
Internal diameter	36,5	[mm]
Max. mast diameter	Ø máx mástil	36,5 [mm]
Min. mast diameter		36,5 [mm]
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Brass	
Thread type	M30	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

P-ADAPTACION (PLETINA)

77902611



Piece of adjustment Nimbus to mast for tape, diameter 36,5 mm.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77902611	
Part Number	P-ADAPTACION (PLETINA)	
Status	Available	
EAN	8435297847441	
Tariff code (HS)	8538.90.99	
Dimensions		
Product height	86,5	[mm]
Product width	50	[mm]
Product length	50	[mm]
Product weight	776	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2012	
Certifications	CE	
Technical features		
Down-conductor system	Flat tape	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	2	[mm]
Min. flat tape thickness	2	[mm]
Diameter	50	[mm]
Internal diameter	36,5	[mm]
Max. mast diameter	Ø máx mástil	36,5 [mm]

Min. mast diameter	36,5	[mm]
Material	Brass	
Thread type	M30	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)