

# GRAPA-AB La D-14/18

77934400

Brass U-bolt 14 and 18 mm. diameter (2 conductors).



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77934400	
Part Number	GRAPA-AB La D-14/18	
Status	Available	
EAN	8435297812555	
Tariff code (HS)	8538.90.99	
<b>Dimensions</b>		
Product height	65	[mm]
Product width	50	[mm]
Product length	43,5	[mm]
Product weight	190	[gr]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-2:2012	
Certifications	CE	
<b>Technical features</b>		
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Max. earth rod diameter		18 [mm]
No. down conductor		2
Material		Brass
Screw thread		M8

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ADHESIVO DE FIJACION PLETINA

## 200x45x4mm

779001165




Indicative product image

Données techniques	Valeur	Unités
<b>Données commerciales</b>		
Code	779001165	
Description	ADHESIVO DE FIJACION PLETINA 200x45x4mm	
Etat	Disponible	
EAN	8435297857426	
Position Tarifaire	8536.30.90	
<b>Dimensions</b>		
Poids du produit	1	[gr]

# CONEXION PARA PATA DE GANSO

77938000

Raccord type "patte d'oie" en cuivre étamé pour conducteur 30 x 2 mm.



Indicative product image

Données techniques	Valeur	Unités
<b>Données commerciales</b>		
Code	77938000	
Description	CONEXION PARA PATA DE GANSO	
Etat	Disponible	
<b>Dimensions</b>		
Hauteur du produit	75	[mm]
Largeur du produit	10	[mm]
Longueur du produit	75	[mm]
Poids du produit	600	[gr]
Unité d'emballage	1	
<b>Données générales</b>		
Normes de produits	EN 62561-2:2012	
Certifications	CE	
<b>Caractéristiques techniques</b>		
Largeur maximale de platine	30	[mm]
Largeur maximale de platine	25	[mm]
Epaisseur maximale de la pletine	3	[mm]
Epaisseur minimale de la pletine	2	[mm]
Matériel	Acier inoxydable	
Filet de vis	M8	

Cosse de raccordement anneau laiton connexion piquet 18mm. Câble 8-10mm



Indicative product image

Données techniques	Valeur	Unités
<b>Données commerciales</b>		
Code	77934200	
Description	GRAPA-AB La /JAB	
Etat	Disponible	
<b>Dimensions</b>		
Hauteur du produit	50	[mm]
Largeur du produit	41	[mm]
Longueur du produit	26	[mm]
Poids du produit	130	[gr]
Unité d'emballage	1	
<b>Données générales</b>		
Normes de produits	EN 62561-2:2012	
Certifications	CE	
<b>Caractéristiques techniques</b>		
Max. piquet diamètre	18	[mm]
N° conducteurs de descente	1	
Diamètre maximum du câble	10	[mm]
Diamètre minimum du câble	8	[mm]
Matériel	Laiton	
Filet de vis	M8	

# GRAPA Br JAB (PLETINA 30MM)

77934204

Earth rod connection brass U-bolt for earth rod up to 18mm diameter. Pletina 30mm



Indicative product image

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77934204	
Part Number	GRAPA Br JAB (PLETINA 30MM)	
Status	Available	
<b>Dimensions</b>		
Product weight	130	[gr]
Packaging unit	5	
<b>General data</b>		
Product standards	EN 62561-2:2012	
Certifications	CE	
<b>Technical features</b>		
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	8	[mm]
Min. flat tape thickness	2	[mm]
Max. earth rod diameter	20	[mm]
Material	Brass	
Screw thread	M8	

# GRAPA-AB INOX D-14/18

77934500

Stainless steel U-bolt 14 and 18 mm. diameter (2 conductors).



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77934500	
Part Number	GRAPA-AB INOX D-14/18	
Status	Available	
EAN	8435297812548	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	65	[mm]
Product width	50	[mm]
Product length	43,5	[mm]
Product weight	248	[gr]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-2:2012	
Certifications	CE	
<b>Technical features</b>		
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Max. earth rod diameter		18 [mm]
No. down conductor		2
Material		Stainless steel
Screw thread		M8

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)



# GRAPA-AB INOX /JAB

77934300

Earth rod connection stainless steel U-bolt.

Scan this QR code and see  
the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77934300	
Part Number	GRAPA-AB INOX /JAB	
Status	Discontinued	
EAN	8435297812562	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	65	[mm]
Product width	50	[mm]
Product length	38,5	[mm]
Product weight	249	[gr]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-2:2012	
Certifications	CE	
<b>Technical features</b>		
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Stainless steel	
Screw thread	M8	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)